


ESCALATOR CHAINS

Dimensions in mm

CHAINS FOR ESCALATORS AND MOVING WALKWAYS


6560

Breaking load : 186 kN  
Distance E : 1084 mm



6656

Breaking load : 186 kN  
Distance E : 1490 mm





Dimensions in mm


## CHAINS FOR ESCALATORS AND MOVING WALKWAYS

- With tabs, anti-backbend
- With outboard wheels fitted on extended pins


**6529**  
Breaking load : 164 kN




### AXIAL GREASING



- Lubricates the articulation from inside
- Prevents maintenance
- Enhances the service life of the chain



**6814**  
Breaking load : 200 kN




ESCALATOR CHAINS

Dimensions in mm

CHAINS FOR ESCALATORS AND MOVING WALKWAYS

- With wheels integrated in the chains
- Shaft connecting twin strand chains


**6688**  
Breaking load : 150 kN per strand





SEDIS solution

**AXIAL GREASING**




GREASE NIPPLE PIN

- Seals the articulation from outside
- Lubricates the articulation from inside
- Prevents maintenance
- Enhances the service life of the chain


Dimensions in mm

### CHAINS FOR ESCALATORS AND MOVING WALKWAYS



**6627**  
Breaking load : 248 kN per strand

- With anti-backbend platform
- With outboard wheels fitted on shafts connecting the chain strands
- Twin strand chain
- Oil lubrication




**6649**  
Breaking load : 350 kN per strand

- With anti-backbend platform
- With outboard wheels fitted on shafts connecting the chain strands



SEDIS solution

#### VERTE® CHAIN




- Self-lubricating bushes
- Prevents maintenance
- Enhances the service life of the chain

ESCALATOR CHAINS


Dimensions in mm

CHAINS FOR ESCALATORS AND MOVING WALKWAYS


**6707**  
Breaking load : 186 kN



**6717**  
Breaking load : 725 kN  
Pitch: 135 mm



VERTE® CHAIN




- Self-lubricating bushes
- Prevents maintenance
- Enhances the service life of the chain

Dimensions in mm

**CHAINS FOR ESCALATORS AND MOVING WALKWAYS**

**6723**

Breaking load : 327 kN  
Pitch: 135 mm



**6732**

Breaking load : 80 kN per strand

